	SAFETY DATA SHEET		
in accoi	rdance with Regulation (CE) Num.	1907/2006 (REACH)	
COLLA SPRAY UNIVERSALE			Data of minth 20/12/2010
cod.57265001 Version: F3控/ EN	Page 1 of FH	Date of	Date of print: 20/12/2019 previous review: 20/12/2019
			<u> </u>
SECTION 1. Identification of the su	ubstance/mixture and of the	company/undertak	king.
1.1. Product identifier.			
Code:	57265001		
Product name.	COLLA SPRAY UNIVERSALE		
1.2. Relevant identified uses of the substance of			
Intended use.	MULTIPURPOSE SPRAY ADHESIVE		
Identified Uses	Industrial.	Professional.	Consumer.
GENERAL CONSUMER	-	-	v
PROFESSIONAL USE	✓	~	-
Uses advised against: This product is not r	recommended for all those uses not spec	fically identified on the label	
1.3. Details of the supplier of the safety data sh	neet.		
Name. Full address.	SARATOGA INT. SFORZA SPA		
District and Country.	VIA EDISON 76 20090 TREZZANO S/NAVIGLIO (MI)		
	ITALY		
	Tel. 0039.02.445731		
	Fax. 0039.02.4452742		
e-mail address of the competent person.	trading @corotogooforma.com		
responsible for the Safety Data Sheet.	trading@saratogasforza.com		
1.4. Emergency telephone number. For urgent inguiries refer to.	ΚΕΝΤΡΟ ΔΗΛΗΤΗΡΙΑΣΕΩΝ 210 779		
	CAV - Ospedale Pediatrico "Bambir CAV - Azienda Ospedaliero-Univers	itaria Foggia - Foggia - Te	l. +39 0881 732326 (h24)
	CAV - Azienda Ospedaliera "A. Caro CAV - Policlinico "Umberto I" - Rom	darelli" - Napoli - Tel. +39 0	81 7472870 (h24)
	CAV - Policlinico "A. Gemelli" - Ron CAV - Azienda Ospedaliera "Carego	na - Tel. +39 06 3054343 (h)	24)
	7947819(h24) CAV - Centro Nazionale di Informaz		
	(h24)	•	
	CAV - Ospedale "Niguarda Ca' Gran CAV - Azienda Ospedaliera "Papa G		
SECTION 2. Hazards identification).		
2.1. Classification of the substance or mixture.			

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of EC Regulation 1907/2006 and subsequent amendments. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Aerosol, category 1	H222	Extremely flammable aerosol.
	H229	Pressurised container: may burst if heated.
Eye irritation, category 2	H319	Causes serious eye irritation.
Specific target organ toxicity - single exposure, category 3	H336	May cause drowsiness or dizziness.

COLLA SPRAY UNIVERSALE cod.57265001 Version: F3控/ EN

Page 2 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

2.2. Label elements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Danger

Hazard statements:

H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Precautionary statements:

P101 P102 P210 P211 P251 P261 P271 P280 P312 P405 P410+P412	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing spray. Use only outdoors or in a well-ventilated area. Wear eye protection / face protection. Call a POISON CENTRE / doctor if you feel unwell. Store locked up.
P410+P412 P501	Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.
Contains:	Dispose of contents / container in authorized collection centers. 2-PROPANONE ETHYL ACETATE

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.2. Mixtures.

Contains:

in accor		Y DATA SHEET ition (CE) Num. 1907/2006 (REACH)
COLLA SPRAY UNIVERSALE cod.57265001 Version: F3控/ EN	Pag	e 3 of FH	Date of print: 20/12/2019 Date of previous review: 20/12/2019
The full wording of hazard (H) phrases is given in sec Identification.	ction 16 of the sheet.	Classification 1272/2008 (C	LP).
Dimethylether		·	
CAS. 115-10-6	30 ≤ x < 50	Flam. Gas 1 H220, Note P	
EC. 204-065-8			
INDEX. 603-019-00-8			
Reg. no. 01-2119472128-37-xxxx			
ACETONE			
CAS. 67-64-1	$30 \le x \le 50$	Flam. Liq. 2 H225, Eye Irrit. 2 Note P	2 H319, STOT SE 3 H336,
EC. 200-662-2			
INDEX. 606-001-00-8			
Reg. no. 01-2119471330-49			
ETHYL ACETATE			
CAS. 141-78-6	5≤x< 10	Flam. Liq. 2 H225, Eye Irrit. 2 EUH066	H319, STOT SE 3 H336,
EC. 205-500-4			
INDEX. 607-022-00-5			
Reg. no. 01-2119475103-46			

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants: 40,00 %

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

COLLA SPRAY UNIVERSALE cod.57265001 Version: F3È/ EN

Page 4 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions.

Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up.

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

COLLA SPRAY UNIVERSALE cod.57265001 Version: F3È/ EN

Page 5 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities.

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C/122°F, away from any combustion sources.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

DEU ESP	Deutschland España	MAK-und BAT-Werte-Liste 2012 INSHT - Límites de exposición profesional para agentes químicos en España 2015
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GBR	United Kingdom	EH40/2005 Workplace exposure limits
GRC	Ελλάδα	ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas em matéria de protecção dos trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no trabalho - Diaro da Republica I 26; 2012-02-06
EU	OEL EU TLV-ACGIH	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC. ACGIH 2016

ACETONE

ACETONE					
Threshold Limit Value.					
Туре	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
AGW	DEU	1200	500	2400	1000
MAK	DEU	1200	500	2400	1000
VLA	ESP	1210	500		
VLEP	FRA	1210	500	2420	1000
WEL	GBR	1210	500	3620	1500
TLV	GRC	1780		3560	
VLEP	ITA	1210	500		
VLE	PRT	1210	500		
OEL	EU	1210	500		
TLV-ACGIH		1187	500	1781	750

COLLA SPRAY UNIVERSALE cod.57265001 Version: F3控/ EN

Page 6 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

ETHYL ACETATE					
Threshold Limit Value.		7.4.4.61			
Туре	Country	TWA/8h		STEL/15min	
		mg/m3	ppm	mg/m3	ppm
AGW	DEU	1500	400	3000	800
MAK	DEU	1500	400	3000	800
VLA	ESP	1460	400		
VLEP	FRA	1400	400		
WEL	GBR		200		400
TLV	GRC	1400	400		
TLV-ACGIH		1441	400		

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

TLV of solvent mixture: 1237 mg/m3.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION None required.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387). Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold

values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

COLLA SPRAY UNIVERSALE cod.57265001 Version: F3È/EN

Page 7 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

Appearance Colour Odour Odour threshold. pH. Melting point / freezing point. Initial boiling point. Boiling range. Flash point. Evaporation Rate Flammability of solids and gases Lower inflammability limit. Upper inflammability limit. Upper explosive limit. Upper explosive limit. Upper explosive limit. Vapour pressure. Vapour density Relative density. Solubility Partition coefficient: n-octanol/water Auto-ignition temperature. Decomposition temperature. Viscosity Explosive properties Oxidising properties	aerosol colourless characteristic Not defined Not available. < -25 °C. Not available. < -25 °C. Not available. flammable gas Not available. Not available. Not available. 3 % (V/V). 18 % (V/V). Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not defined Not available. Not defined > 100 cSt a 20°C not applicable not applicable
---	--

9.2. Other information.

Total solids (250°C / 482°F)	21,10 %			
VOC (Directive 2010/75/EC) :	78,90 %	-	615,42	g/litre.
VOC (volatile carbon) :	0			

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

ACETONE Decomposes under the effect of heat.

ETHYL ACETATE Decomposes slowly into acetic acid and ethanol under the effect of light, air and water.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

COLLA SPRAY UNIVERSALE cod.57265001 Version: F3控/ EN

Page 8 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

No hazardous reactions are foreseeable in normal conditions of use and storage.

ACETONE

Risk of explosion on contact with: bromine trifluoride,fluorine dioxide,hydrogen peroxide,nitrosyl chloride,2-methyl-1,3 butadiene,nitromethane,nitrosyl perchlorate.May react dangerously with: potassium tert-butoxide,alkaline hydroxides,bromine,bromoform,isoprene,sodium,sulphur dioxide,chromium trioxide,chromyl chloride,nitric acid,chloroform,peroxymonosulphuric acid,phosphoryl oxychloride,chromosulphuric acid,fluorine,strong oxidising agents,strong reducing agents.Develops flammable gas on contact with: nitrosyl perchlorate.

ETHYL ACETATE

Risk of explosion on contact with: alkaline metals, hydrides, oleum. May react violently with: fluorine, strong oxidising agents, chlorosulphuric acid, potassium tert-butoxide. Forms explosive mixtures with: air.

10.4. Conditions to avoid.

Avoid overheating.

ACETONE Avoid exposure to: sources of heat,naked flames.

ETHYL ACETATE Avoid exposure to: light,sources of heat,naked flames.

10.5. Incompatible materials.

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

ACETONE Incompatible with: acids,oxidising substances.

ETHYL ACETATE

Incompatible with: acids,bases,strong oxidants,aluminium,nitrates,chlorosulphuric acid.Incompatible materials: plastic materials.

10.6. Hazardous decomposition products.

ACETONE May develop: ketenes,irritant substances.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture:Not classified (no significant component). LC50 (Inhalation - mists / powders) of the mixture:Not classified (no significant component). LD50 (Oral) of the mixture:Not classified (no significant component). Page 9 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

LD50 (Dermal) of the mixture:Not classified (no significant component).

Dimethylether LC50 (Inhalation).> 309018 mg/m3

SKIN CORROSION / IRRITATION. Does not meet the classification criteria for this hazard class. SERIOUS EYE DAMAGE / IRRITATION. Causes serious eye irritation. RESPIRATORY ÓR SKIN SENSITISATION. Does not meet the classification criteria for this hazard class. GERM CELL MUTAGENICITY. Does not meet the classification criteria for this hazard class. CARCINOGENICITY. Does not meet the classification criteria for this hazard class. REPRODUCTIVE TOXICITY. Does not meet the classification criteria for this hazard class. STOT - SINGLE EXPOSURE. May cause drowsiness or dizziness. STOT - REPEATED EXPOSURE. Does not meet the classification criteria for this hazard class. ASPIRATION HAZARD Excluded because the aerosol does not allow the accumulation of a significant amount of product in the mouth.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

Dimethylether LC50 - for Fish. > 4001 mg/l/96h

ACETONE	
LC50 - for Fish.	4144 mg/l/96h Pesce
EC50 - for Crustacea.	1680 mg/l/48h Daphnia

12.2. Persistence and degradability.

Dimethylether Entirely biodegradable.

ACETONE Rapidly biodegradable.

ETHYL ACETATE Solubility in water. > 10000 mg/l Rapidly biodegradable.

SAFETY DATA SHEET in accordance with Regulation (CE) Num. 1907/2006 (REACH)						
COLLA SPRAY UNIVERSALE cod.57265001 Version: F3È/ EN	Page 10 of FH	Date of print: 20/12/2019 Date of previous review: 20/12/2019				
12.3. Bioaccumulative potential.						
ACETONE						
Partition coefficient: n0, octanol/water.	23					
BCF. 3						
ETHYL ACETATE						
Partition coefficient: n- 0,6 octanol/water.	68					
BCF. 30						
12.4. Mobility in soil.						
Information not available.						
Information not available.						

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

ADR / RID, IMDG, IATA: 1950

14.2. UN proper shipping name.

ADR / RID:	AEROSOLS
IMDG:	AEROSOLS
IATA:	AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es).

SAFETY DATA SHEET in accordance with Regulation (CE) Num. 1907/2006 (REACH)						
	AY UNIVERSALE					
cod.5726500 Version: F3È			Page 11 of FH	Date	Date of print: 20/12/2019 e of previous review: 20/12/2019	
				Dat		
ADR / RID:	Class: 2	Label: 2.1				
			~			
IMDG:	Class: 2	Label: 2.1				
			8			
IATA:	Class: 2	Label: 2.1				
			3			
14.4. Packing gro	oup.					
	c					
ADR / RID, IMD IATA:	G, -					
14.5. Environmer	ntal hazards					
ADR / RID:	NO					
IMDG: IATA:	NO NO					
	NO					
14.6. Special pred	cautions for user.					
ADR / RID:		HIN - Kemler:	Limited Qua	ntities: 1 L	Tunnel restriction code: (D)	
		Special Provision: -				
IMDG:		EMS: F-D, S-U	Limited Qua		De alta air a instanti anna 100	
IATA:		Cargo: Pass.:		uantity: 100 Kg uantity: 25 Kg	Packaging instructions: 130 Packaging instructions: 130	
		Special Instructions:	A802	antity. 25 Ng	r ackaging instructions. 150	
14.7. Transport ir	n bulk according to	Annex II of Marpol and the	BC Code.			
Information not rel	levant.					
SECTION 4	E Dogulatory	aformation				
SECTION	5. Regulatory	mormation.				
15.1. Safety, he	alth and environme	ntal regulations/legislation	n specific for the substance or	mixture.		
Seveso Category	- Directive 2012/18/E	C [.] P3a				
Restrictions relatin	ng to the product or co	ontained substances pursua	int to Annex XVII to EC Regulation	<u>n 1907/2006.</u>		
Product.						
Point.		40				
Substances in Candidate List (Art. 59 REACH).						
On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.						
Substances subject to authorisarion (Annex XIV REACH).						

COLLA SPRAY UNIVERSALE cod.57265001 Version: F3控/ EN

Page 12 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Gas 1	Flammable gas, category 1
Aerosol 1	Aerosol, category 1
Aerosol 3	Aerosol, category 3
Flam. Liq. 2	Flammable liquid, category 2
Eye Irrit. 2	Eye irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)

- CLP: EC Regulation 1272/2008

- DNEL: Derived No Effect Level

- EmS: Emergency Schedule

- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation

SAFETY DATA SHEET	
in accordance with Regulation (CE) Num. 1907/2006 (REA	CH)

COLLA SPRAY UNIVERSALE cod.57265001 Version: F3È/ EN

Page 13 of FH

Date of print: 20/12/2019 Date of previous review: 20/12/2019

IC50: Immobilization Concentration 50% IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization INDEX NUMBER: Identifier in Annex VI of CLP LC50: Lethal Concentration 50% LD50: Lethal dose 50% **OEL: Occupational Exposure Level** PBT: Persistent bioaccumulative and toxic as REACH Regulation PEC: Predicted environmental Concentration PEL: Predicted exposure level PNEC: Predicted no effect concentration REACH: EC Regulation 1907/2006 RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation WGK: Water hazard classes (German). GENERAL BIBLIOGRAPHY 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament Regulation (EC) 1272/2008 (CLP) of the European Parliament
Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament 4. Regulation (EU) 2015/830 of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 7 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament - The Merck Index. - 10th Edition Handling Chemical Safety INRS - Fiche Toxicologique (toxicological sheet) Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 01/09