Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 22/08/2023 Revision date: 22/08/2023 Supersedes version of: 22/06/2023 Version: 7.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

: LEFRANC BOURGEOIS LAVENDER OIL

Other

Colart International Holdings LTD

GB-W12 7FP London - London

The MediaWorks Building

191 Wood Lane

United Kingdom T 02084243200

Trade name Product group

: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Industrial/Professional use spec

- : Consumer use
- : Industrial For professional use only

1

.

1.2.2. Uses advised against No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

COLART EUROPE SAS SAS 5 rue René Panhard 72021 Le Mans Cedex 2 72021 LeMans France T +44 208 424 3270 r.enquiries@colart.co.uk

Supplier

COLART UK LTD Goldthorn Road DY11 7JN Kidderminster – Worcestershire United Kingdom T +44 (0) 2084243200 r.enquiries@colart.co.uk

1.4. Emergency telephone number

Emergency number

+33 2 43 83 83 00 (Monday- Thursday: 8:00-12:00 13:30-16:00 , Friday: 8:00-12:00 CET Language French); (+44) 2084243200 Monday-Friday: 9:00-17:00 GMT Language English)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	
Acute toxicity (oral), Category 4	
Skin corrosion/irritation, Category 2	

H226 H302 H315

r.enquiries@colart.co.uk Manufacturer Colart France Zone Industrielle Nord 5 Rue René Panhard, +33 2 43 83 83 00 Le Mans France r.enquiries@colart.co.uk

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Single exposure, Category 2	H371
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements	
Labelling according to Regulation (EC) No. 127	72/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
Contains	 linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool, CAMPHOR, HYDROCARBONS, (R)-p- mentha-1,8-diene; d-limonene, PINENES (ALPHA OR BETA), (S)-p-mentha-1,8-diene; l- limonene
Hazard statements (CLP)	 H226 - Flammable liquid and vapour. H302 - Harmful if swallowed. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H371 - May cause damage to organs (if swallowed). H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. P391 - Collect spillage.
Child-resistant fastening	: Applicable
Tactile warning	: Applicable
2.3. Other hazards	

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2	50 – 80	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CAMPHOR	CAS-No.: 76-22-2 EC-No.: 200-945-0	10 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 STOT SE 2, H371 Flam. Sol. 2, H228
HYDROCARBONS	-	10 – 30	Asp. Tox. 1, H304
(R)-p-mentha-1,8-diene; d-limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7	10 – 30	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
PINENES (ALPHA OR BETA)	-	10 – 30	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ALPHA-TERPINEOL	CAS-No.: 98-55-5 EC-No.: 202-680-6	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319
(S)-p-mentha-1,8-diene; I-limonene	CAS-No.: 5989-54-8 EC-No.: 227-815-6 EC Index-No.: 601-029-00-7	1 – 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
B-PINENE	CAS-No.: 127-91-3 EC-No.: 204-872-5	1 – 3	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317
1-isopropyl-4-methylbenzene; p-cymene	CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1	1 – 3	Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: May cause damage to organs.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes eye irritation. Eye irritation. Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Symptoms/effects after ingestion

: Swallowing a small quantity of this material will result in serious health hazard. May be fatal if swallowed and enters airways. Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard	: Flammable liquid and vapour. : May form flammable/explosive vapour-air mixture.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective eq	uipment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapours are flammable. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hygiene measures :	Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including an	y incompatibilities
Technical measures :	Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions :	Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.
Incompatible products :	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wash hands, forearms and face thoroughly after handling. Avoid all unnecessary exposure. **Personal protective equipment symbol(s):**



8.2.2.1. Eye and face protection

Eye protection: Avoid contact with eyes. Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Avoid contact with skin

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Do not eat, drink or smoke during use.

9.1. Information on basic physical and ch	nemical properties
Physical state	: Liquid
Colour	: Yellow.
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 51 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: < 7 mm²/s
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: 175 – 300
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: 0.888 – 0.907
Particle characteristics	: Not applicable

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (oral) : Harmful if swallowed. Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified LEFRANC BOURGEOIS LAVENDER OIL ATE CLP (oral) 2000 mg/kg bodyweight linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6) 2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), I D50 oral rat 95% CL: 2440 - 3180 LD50 dermal rabbit 5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374 **CAMPHOR (76-22-2)** LD50 oral 1310 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method) LC50 Inhalation - Rat 0.5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method) ALPHA-TERPINEOL (98-55-5) LD50 oral rat 4300 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2900 - 5700 LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure : May cause damage to organs (if swallowed). **CAMPHOR (76-22-2)** STOT-single exposure May cause damage to organs. STOT-repeated exposure Not classified Based on available data, the classification criteria are not met Additional information

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6)		
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
CAMPHOR (76-22-2)		
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: other:Food and Drug Administration (FDA) Good Laboratory Practice Regulations for Nonclinical Studies (GLP Guidelines)	
ALPHA-TERPINEOL (98-55-5)		
NOAEL (oral, rat, 90 days)	≥ 314 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)	
Aspiration hazard : May be fatal if swallowed and enters airways.		
LEFRANC BOURGEOIS LAVENDER OIL		
Viscosity, kinematic	< 7 mm²/s	
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-linalool (78-70-6)		
Viscosity, kinematic	5.192 mm ² /s	
(S)-p-mentha-1,8-diene; I-limonene (5989-54-8)		
Viscosity, kinematic	1.011 mm²/s	
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
No additional information available		
11.2.2. Other information		

Potential adverse human health effects and	: Harmful if swallowed.
symptoms	

12.1. Toxicity

12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified Toxic to aquatic life with long lasting effects.
linalool; 3,7-dimethyl-1,6-octadien-3-ol; dl-lina	lool (78-70-6)
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
CAMPHOR (76-22-2)	
LC50 - Fish [1]	35 – 50 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	110 mg/l Test organisms (species): Pimephales promelas
EC50 96h - Algae [1]	6.951 mg/l Test organisms (species):

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27	-5)
LC50 - Fish [1]	720 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'
ALPHA-TERPINEOL (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 68 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	≈ 17 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
(S)-p-mentha-1,8-diene; I-limonene (5989-54-	8)
LC50 - Fish [1]	720 μg/l Test organisms (species): Pimephales promelas
LC50 - Fish [2]	702 μg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	0.904 mg/l Test organisms (species): other:For freshwater algae, species frequently include Desmodesmus subspicatus or Pseudokirchneriella subcapitata.
12.2. Persistence and degradability	
LEFRANC BOURGEOIS LAVENDER OIL	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
LEFRANC BOURGEOIS LAVENDER OIL	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	Avoid release to the environment

Additional information

: Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations	3
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Hazardous waste due to toxicity. Avoid release to the environment.

SECTION 14: Transport information

ADR	IMDG	IATA	ADN
14.1. UN number or ID	number	II	
UN 1197	UN 1197	UN 1197	UN 1197
14.2. UN proper shippii	ng name		
EXTRACTS, LIQUID	EXTRACTS, FLAVOURING, LIQUID	Extracts, liquid	EXTRACTS, LIQUID
Transport document desc	ription		
UN 1197 EXTRACTS, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, FLAVOURING, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1197 Extracts, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1197 EXTRACTS, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)		
3	3	3	3
14.4. Packing group		·,	
III	III	III	111
14.5. Environmental ha	zards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informati	on available		

Overland transport

Classification code (ADR)	:	F1
Special provisions (ADR)	:	601
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T2
Portable tank and bulk container special provisions	:	TP1
(ADR)		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3 3 (()	
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	
	30
	1197
	1197
Tunnel restriction code (ADR)	: D/E
EAC code	: 3Y
T	
Transport by sea	
Special provisions (IMDG)	: 223, 955
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
	· •

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1). Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen SZW-lijst van reprotoxische stoffen – Borstvoeding SZW-lijst van reprotoxische stoffen – Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling	 None of the components are listed
Denmark	
Class for fire hazard Store unit Classification remarks Danish National Regulations	 Class II-1 5 liter R10 <h226;h302;h304;h315;h317;h319;h371;h411>; Emergency management guidelines for the storage of flammable liquids must be followed</h226;h302;h304;h315;h317;h319;h371;h411> Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Swiss National Regulations Storage class (LK) CH - VOC (SR 814.018)	 Article 13 Order on the protection of maternity (RS 822.111.52): Pregnant women and breastfeeding mothers cannot come into contact with this product (this substance/this preparation) when working except where it has been established, on the basis of a risk analysis performed in accordance with Art. 63 OLT 1 (RS 822.111), that there is no concrete threat to the health of the mother or baby or that said threat can be excluded thanks to the suitable protection measures taken. Article 4, subparagraph 4 Order on the protection of young workers (OLT 5, RS 822.115) and Article 1, letter f Order of the DEFR on dangerous works for young workers (822.115.2): Young workers undergoing initial professional training cannot work with this product (this substance/this preparation) except where envisaged in the order of professional training to achieve the training purposes and if the training plan conditions and applicable age limits are respected. Young workers who do not undergo initial professional training cannot work with this product (this substance/this preparation). Workers of either sex aged under 18 years old are considered as young. LK 3 - Flammable liquids 15 %

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information		
Data sources Other information	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. None. 	
Full text of H- and EUH	I-statements:	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Flam. Sol. 2	Flammable solids, Category 2	
H226	Flammable liquid and vapour.	
H228	Flammable solid.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H371	May cause damage to organs.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Flam. Liq. 3	H226	On basis of test data	
Acute Tox. 4 (Oral)	H302	Calculation method	
Skin Irrit. 2	H315	Calculation method	
Eye Irrit. 2	H319	Calculation method	
Skin Sens. 1	H317	Calculation method	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
STOT SE 2	H371	Calculation method
Asp. Tox. 1	H304	Calculation method
Aquatic Chronic 2	H411	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.