
Printing date 21.03.2017

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.03.2017



9 ¥ J	Safety data sheet according to 1907/2006/EC, Artic	cle 31
Printing date 21.03.20		Revision: 21.03.2017
Trade name: JOHA	Color extract golden brown	
P280	Wear protective gloves/protective clothin	
P303+P361+P353	3 IF ON SKIN (or hair): Take off immedi Rinse skin with water/shower.	ately all contaminated clothing.
P403+P235 P501	Store in a well-ventilated place. Keep con Dispose of contents/container in accord	
	international regulations.	-
Labelling of pack Hazard pictogram	kages where the contents do not excee ms	ed 125 ml
GHS02		
 Signal word Wart Hazard statemen H412 Harmful to a Precautionary state 	nts aquatic life with long lasting effects.	
P101 If medical ad P102 Keep out of P103 Read label b • 2.3 Other hazard	before use.	r label at hand.
· Results of PBT a	and vPvB assessment	
 • PBT: Not application • vPvB: Not application 		
SECTIONAL	composition/information on insur	dianta
SECTION 3: C	composition/information on ingre	edients

TION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Aquatic Acute 1, H400; Aquatic Chronic 1, H410	50-99% 0.25-<2.5%
CAS: 85029-59-0 Solvent Orange 54 (Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.25-<2.5%
Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.25-<2.5%
CAS: 51147-75-2 Natriumbis[2-(3-chlorphopyl)-2.4-dibydro-4-[[2-bydroxy-	
EINECS: 257-014-7 5-mesylphenyl]azo]-5-methyl-3H-pyrazol-3-o nato(2-)]chromat(1-) Aquatic Acute 1, H400 Aquatic Chronic 4, H413	0.25-<2.5%
CAS: 85029-58-9 C.I. Solvent Yellow 82 (EINECS: 285-083-3 log Aquatic Acute 1, H400; Aquatic Chronic 2, H411	0.25-<2.5%
CAS: 70236-40-7 EINECS: 274-473-9 [2-(3-Chlorphenyl)-2,4-dihydro-4-[[2-hydroxy-5- (methylsulfonyl)phenyl]azo]-5-methyl-3H-pyrazol-3-on a to (2-)][methyl-[7-hydroxy-8-[[2-hydroxy-5- (methylsulfonyl)phenyl]azo]-1-naphthalinyl]carbamato(2-)] -, Natrium	0.25-<2.5%
Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

according to 1907/2006/EC, Article 31

Printing date 21.03.2017

Version number 2

Revision: 21.03.2017

Trade name: JOHA Color extract golden brown

CAS: 71839-85-5 Natrium-bis[methyl-[7-hydroxy-8-[[2-hydroxy-5-EINECS: 276-070-3 mesylphenyl]azo]-1-naphthyl]carbamato(2-)]chromat(1-)

Aquatic Acute 1, H400; Aquatic Chronic 1, H410

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

(Contd. on page 4)





Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.03.2017

Trade name: JOHA Color extract golden brown

(Contd. of page 3)

Protect against electrostatic charges.

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

WEL Short-term value: 560 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Sk

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

- Respiratory protection: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.03.2017

Trade name: JOHA Color extract golden brown

Printing date 21.03.2017

(Contd. of page 4)

• 9.1 Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Fluid
Colour:	Brown
· Odour:	Alcohol-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/freezing point:	-96.7 °C
Initial boiling point and boiling range	:: 120 °C
· Flash point:	32 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	270 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	2.3 Vol %
Upper:	20 Vol %
· Vapour pressure at 20 °C:	12 hPa
· Density at 20 °C:	0.962 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	95.1 %
Solids content:	4.8 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 6)

⁻ GB

according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.03.2017

(Contd. of page 5)

Trade name: JOHA Color extract golden brown

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

107-98-2 1-methoxy-2-propanol

- Oral LD50 4016 mg/kg (rat)
- Dermal LD50 13000 mg/kg (rabbit)

85029-59-0 Solvent Orange 54

Oral LD50 >5000 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- \cdot Aquatic toxicity: No further relevant information available.

• Type of test Effective concentration Method Assessment

107-98-2 1-methoxy-2-propanol

- LC50 (48h) 23300 mg/l (daphnia magna)
- LC50 (96h) > 6800 mg/l (gol)
- EC50 (3h) > 1000 mg/l (Pseudomonas Putita)
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- \cdot 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 7)





according to 1907/2006/EC, Article 31

Printing date 21.03.2017

Version number 2

Revision: 21.03.2017

Trade name: JOHA Color extract golden brown

(Contd. of page 6)

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information · 14.1 UN-Number · ADR, IMDG, IATA UN3092 · 14.2 UN proper shipping name · ADR 3092 1-METHOXY-2-PROPANOL 1-METHOXY-2-PROPANOL · IMDG, IATA · 14.3 Transport hazard class(es) · ADR, IMDG, IATA · Class 3 Flammable liquids. · Label 3 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Flammable liquids. · Danger code (Kemler): 30 · EMS Number: F-E,S-D · Stowage Category А · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: (Contd. on page 8) GB





according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.03.2017

Trade name: JOHA Color extract golden brown

	(Contd. of page
· Transport category · Tunnel restriction code	1000 ml 3 D/E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging 30 ml Maximum net quantity per outer packaging 1000 ml
UN "Model Regulation":	UN 3092 1-METHOXY-2-PROPANOL, 3, III

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Warning

· Hazard statements

H226 Flammable liquid and vapour.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read label before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/ international regulations.

· Directive 2012/18/EU

- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements $50,000\ t$
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

· Waterhazard class:

Water hazard class 3 (Self-assessment): extremely hazardous for water.

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.03.2017

(Contd. of page 8)

GB

Trade name: JOHA Color extract golden brown

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H226 Flammable lig

H226 Flammable liquid and vapour. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 \cdot * Data compared to the previous version altered.